



KOMO[®] product certificate

Semi-manufactured
product

SKH

Nieuwe Kanaal 9c, 6709 PA Wageningen, the Netherlands
Postbus 159, 6700 AD Wageningen, the Netherlands
Telephone: +31 (0) 317 45 34 25
E-mail: mail@skh.nl
Website: http://www.skh.nl

CONSTRUCTION ADHESIVE

Number: 33275/12
Issued: 01-03-2012
Replaces:

Producer

Soudal N.V.
Everdongenlaan 18-20
B-2300 TURNHOUT
BELGIË
Tel. +32 (0) 14 42 42 31
Fax +32 (0) 14 42 65 14
E-mail: info@soudal.com
Website: http://www.soudal.com

Declaration of SKH

This product certificate is issued on the basis of BRL 3107 "Construction adhesive" dd. 22-12-2005 including amendment sheet dd. 12-06-2007, issued by SKH, in conformity with the SKH Regulations for Certification.

SKH declares that there is a legitimate confidence that the construction adhesives manufactured by the producer continuously comply with the technical specification(s) laid down in this product certificate, provided that they are provided with the KOMO[®]-mark depicted hereunder in a way as given in this product certificate.

For SKH

drs. H.J.O. van Doorn, director

Users of this product certificate are advised to consult SKH whether this document is still valid.

This product certificate consists of 2 pages.

The Dutch version shall be consulted in case of doubt.



The following has
been assessed:
quality system
product
Periodic control

KOMO[®] product certificate

Page 2 of 2
Number: 33275/12
Issued: 01-03-2012

CONSTRUCTION ADHESIVE

1 PRODUCT SPECIFICATION

The certified construction adhesives are meant to fix various materials quickly and simple, if required invisible, to a basis of e.g. timber, concrete, stone, metal or synthetics. The fixing takes place without presses or clamps. They are not intended to contribute to a constructive loadbearing joint.

1.1 Technical specification

The construction adhesives mentioned in this product certificate comply with BRL 3107. This implies among other things that the temperature resistance and the ability to retain its position (sagging) have been tested. A summary of the classifications in accordance with BRL 3107 is given in the following tables.

	Fix ALL High Tack	Fix ALL Turbo
Final strength	Class: 1	Class: 2
Initial fixation / Fixation under stress	Class: 1	Class: 1
Elasticity	Class: 3	Class: 4
Filling ability	Class: 3	Class: 2
Moisture resistance	Class: 3	Class: 4

1.2 Marking

The product produced in accordance with BRL 3107 shall be provided with the KOMO[®]-mark.

The execution of this mark is as follows:

- logo;
- no. **33275**;
- a batch number;
- the final date of expiry or the date of production.



The certified products shall be stored in a frost-free room.

The user shall check whether the construction adhesive is suitable for the intended application.

The following aspects shall have to be considered:

- the materials to be glued;
- the requirements in respect of the processing;
- the requirements in respect of the application.

2 SUGGESTIONS FOR THE USER

2.1 On delivery of the construction adhesive inspect whether:

- what has been ordered has been supplied;
- the mark and the method of marking are correct;
- the products show no visible defects as a result of transport or similar.

If the products are rejected on the basis of the above, contact shall be made with:

Soudal N.V. and if necessary The certification-body SKH.

2.2 Product certificate

The producer is obliged to see to it that the purchaser shall have a copy of the complete product certificate at his disposal. Furthermore, the producer is obliged to see to it that the purchaser shall have a copy of the complete product information sheet at his disposal.

2.3 Period of validity

Consult the SKH-website <http://www.skh.nl> to verify whether the product certificate is still valid.